

Users are advised to consult the Canadian Environmental Quality Guidelines introductory text, factsheet, and/or protocols for specific information and implementation guidance pertaining to each environmental quality guideline.

Heptachlor

Synonyms and/or acronyms: Heptachlor epoxide

Parameter 1: ORGANIC

Parameter 2: Pesticides

Parameter 3: Organochlorine compounds

Water Quality for the Protection of Aquatic Life

Freshwater

Concentration (µg/L)	0.01
----------------------	------

No fact sheet created. For more information on this guideline, please refer to Canadian Water Quality Guidelines (CCREM 1987).

This guideline (originally published in Canadian Water Quality Guidelines [CCREM 1987 + Appendixes] in 1987 or 1991 [PCBs in marine waters]) is no longer recommended and the value is withdrawn. A water quality guideline is not recommended. Environmental exposure is predominantly via sediment, soil, and/or tissue, therefore, the reader is referred to the respective guidelines for these media.

This substance meets the criteria for track 1 substances under the national CCME Policy for the Management of Toxic Substances (PMTS) (i.e., persistent, bioaccumulative, primarily the result of human activity, and CEPA-toxic or equivalent), and should be subject to virtual elimination strategies. Guidelines can serve as action levels or interim management objectives towards virtual elimination.

Date	1987
------	------

Marine

Concentration (µg/L)	<i>No data</i>
----------------------	----------------

Date	<i>No data</i>
------	----------------

Water Quality for the Protection of Agriculture

Irrigation

Concentration (µg/L)	<i>No data</i>
----------------------	----------------

Date	<i>No data</i>
------	----------------

Livestock

Concentration (µg/L) 3

No fact sheet created. For more information on this guideline, please refer to Canadian Water Quality Guidelines (CCREM 1987).

This guideline (originally published in Canadian Water Quality Guidelines [CCREM 1987]) is no longer recommended and the value is withdrawn. A water quality guideline is not recommended. Environmental exposure is predominantly via sediment, soil, and/or tissue, therefore, the reader is referred to the respective guidelines for these media.

This substance meets the criteria for Track 1 substances under the national CCME Policy for the Management of Toxic Substances (PMTS) (i.e., persistent, bioaccumulative, primarily result of human activity, and CEPA-toxic or equivalent) and should be subject to virtual elimination strategies. Guidelines can serve as action levels or interim management objectives towards virtual elimination.

Date 1987

Sediment Quality for the Protection of Aquatic Life

Further documentation on these guidelines can be found in the Canadian Environment Quality Guidelines.

[Download Factsheet](#)

Freshwater

Concentration (µg/kg dry weight) - ISQG 0.6

Guideline	% ≤ ISQG	ISQG < % < PEL	ISQG % ≥ PEL
Heptachlor epoxide	3	12	67

Concentration (µg/kg dry weight) - PEL 2.74

Guideline	% ≤ ISQG	ISQG < % < PEL	ISQG % ≥ PEL
Heptachlor epoxide	3	12	67

Date 1998

Marine

Concentration (µg/kg dry weight) - ISQG 0.6

Provisional; adoption of freshwater ISQG

Concentration (µg/kg dry weight) - PEL 2.74

Provisional; adoption of freshwater PEL

Date 1998

Soil Quality for the Protection of Environmental and Human Health

Concentration (mg/kg dry weight) - Agricultural *No data*

Concentration (mg/kg dry weight) - Residential / parkland *No data*

Concentration (mg/kg dry weight) - Commercial *No data*

Concentration (mg/kg dry weight) - Industrial *No data*

Date *No data*

Tissue Residue Quality for the Protection of Wildlife Consumer of Aquatic Biota

Concentration (µg/kg diet wet weight) *No data*

Date

No data